



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

AUG 2 8 2002

TECH CENTER 1600/2900

Plant Patent Application

Serial No. 09/754,755

Confirmation No. 3769

Attorney Docket No.: 2384-001896

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Group Art Unit 1661

In re Application of

WILHELM ELSNER

Serial No. 09/754,755

Filed January 04, 2001

Examiner - Susan B. McCormick

VARIETY OF GERANIUM PLANT
NAMED 'TIKVIO'

Pittsburgh, Pennsylvania
August 21, 2002

RESPONSE

Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the Office Action dated May 21, 2002, Applicant submits the following remarks.

SUPPLEMENTAL RESPONSE UNDER 37 CFR 1.105

Applicant requests that the Examiner acknowledge receipt of European Union Plant Breeder's Certificate No. 7036, mailed by Applicant in a Supplemental Response on April 24, 2002. Applicant submits the following additional documents related to Plant Breeder's Rights Application No. 98/1017:

1. Technischer Fragebogen (Technical Questionnaire), 4 pp.
2. Three pages of botanical data.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231 on August 21, 2002.

Pamela A. Assad

(Name of Person Mailing Document)

Signature

08-21-02
Date

[W0013269.1]

REMARKS

Claim 1 stands rejected under 35 U.S.C. § 102(b) for anticipation by European Union Plant Breeder's Rights Application No. 98/1017 in view of a sale of a plant named 'Tikvio' in Germany in 1998. Applicant traverses this rejection for the following reasons.

I. Basis for § 102(b) rejection

The sale of a variety of geranium named Tikvio outside the United States only indicates that a geranium plant was in the possession of the public one year prior to the patent application filing date. To the extent that the sold variety was the same as the claimed variety, such a sale outside the United States is not a statutory bar under 35 U.S.C. § 102(b) which prohibits patenting of an invention which "was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country".

Combining the sale of a claimed variety outside the United States with the scant disclosure in a Plant Breeders' Rights (hereinafter, "PBR") application and/or grant, constitutes improper use of prior art under 35 U.S.C. § 102(b) to build an "anticipation" rejection. It is well-settled that teachings of multiple references may not be combined to build an anticipation rejection. Studiengesellschaft Kohle, M.B.H. v. Dart Industries, Inc., 726 F.2d 724, 727, 220 USPQ 841, 842 (Fed. Cir. 1984).

The anticipation rejection in the present application has been characterized as based on the cited PBR application. The sale of a plant named Tikvio outside the United States is used to show that the claimed subject matter was in the public domain more than one year prior to the application filing date.

The rejection is flawed in its reliance on a PBR application which does not disclose every material element of the claim and its attempt to circumvent 35 U.S.C. § 102(b) to reject a claim on an invention that may have been sold outside the United States.

The Office Action of May 21, 2002 recognizes that a publication which is relied upon as prior art under 35 U.S.C. § 102(b) must be enabling. Moreover, it is admitted at page 3 of the Office Action that the text of the cited Plant PBR application "standing alone would not enable one skilled in the art to practice the claimed invention". To account for the deficient teachings of the cited PBR application, namely, its lack of an enabling disclosure, the rejection is supplemented by possible prior public availability of the claimed plant. The Office Action asserts at page 3 that "when the claimed subject matter is disclosed identically by a reference, an additional reference may be relied on to show that the primary reference has an 'enabled disclosure'", citing In re Samour, 571 F.2d 559, 197 USPQ 1 (CCPA 1978) and In re Donohue, 766 F.2d 531, 226 USPQ 619 (Fed. Cir. 1985). Application of this asserted tenet of law to the present case is incorrect and not supported by case law.

The following comments set forth the proper standards for using multiple references in a § 102(b) rejection, namely, that an additional reference may be used to show that anticipatory prior art is in the public domain.

II. Use of multiple references to make a rejection under 35 U.S.C. § 102(b)

It is well-established that a printed publication which discloses "every material element of the claimed subject matter" constitutes a bar under 35 U.S.C. § 102(b) if more than one year prior to an application's filing date, it placed the claimed subject matter "in possession of the public". In re Samour, 571 F.2d at 562, 197 USPQ at 3. See also, In re Donohue, 766 F.2d at 533, 226 USPQ at 621 ("It is well settled that prior art under 35 U.S.C. § 102(b) must sufficiently describe the claimed invention to have placed the public in possession of it".)

There is some flexibility in the rule that only one reference may be used in an anticipation rejection. An additional reference may be used to prove that the primary reference discloses subject matter which is in the public's possession. MPEP §2131.01. Pursuant to this exception, a secondary reference may be included in an anticipation rejection only when the primary reference in and of itself is an enabling disclosure. An additional reference may be used to show what the primary reference contains -- and not to supplement what the primary reference lacks. In both In re Samour and In re Donohue (each relating to patent applications on chemical inventions), an additional reference was relied upon to show that the subject matter of a primary reference was available to the public. Neither case stands for the proposition that an additional reference may be used to supplement a non-enabling disclosure of a primary reference.

The claim at issue in In re Samour was directed to a specific chemical compound with the structure appearing in the claim. A first prior art reference disclosed the structural formula set forth in the claim, but the reference did not disclose a method for its preparation. Hence, the applicant argued that the first reference was non-enabling. In response, the Examiner cited an additional reference which disclosed a method for preparing similar types of compounds. On appeal from a final rejection, the Patent and Trademark Office Board of Appeals agreed that the additional reference provided a legally sufficient teaching of how to make the compound disclosed in the first reference. The court agreed that the mere recitation of the chemical formula of the claimed composition in a prior art reference would not have been sufficient to place the compound in the public's possession. Yet, the court was willing to consider relying on additional references:

solely as evidence that, more than one year prior to appellant's filing date, a method of preparing the claimed subject matter (DMMP) would have been known by, or would have been obvious to, one of ordinary skill in the art. Therefore, the key issue before us is whether the PTO, in making a rejection under

35 USC § 102(b) on a single prior art reference that discloses every material element of the claimed subject matter, can properly rely on additional references for such purpose.

Id. at 562, 197 USPQ at 4 (emphasis added).

The court maintained the rejection of the claim for the chemical compound based on the combined teachings of the printed publication disclosing the compound and a reference which disclosed a method for making similar compounds explaining that the additional reference cited in the § 102(b) rejection was "not relied on for a suggestion or incentive to combine teachings to meet the claimed limitations" (as in a rejection under 35 U.S.C. § 103), but, rather, to show that the claimed subject matter, **every material element of which is disclosed in the primary reference**, was in the possession of the public. Id. at 563, 197 USPQ at 4.

The Samour court did not import any disclosure from the secondary reference into the disclosure of the primary reference which taught every material element of the claimed compound. **Every material element of the claim was the structural formula of the claimed compound. The primary reference disclosed that same structural formula.** The secondary reference was only used to demonstrate that the claimed subject matter, **which was fully disclosed in a printed publication**, was available to the public.

A similar reasoning and result was found in In re Donohue where a claim also directed to a set of chemical compounds was rejected for anticipation by a primary reference that did not disclose methods of preparing the claimed compounds. Additional references relied upon by the United States Patent and Trademark Office taught how such compounds could be produced. The legal basis for upholding the rejection was outlined as follows:

It is well settled that prior art under 35 U.S.C. § 102(b) must sufficiently describe the claimed invention to have placed the public in possession of it. *In re Sasse*, 629 F.2d 675, 681, 207 USPQ 107, 111 (CCPA 1980); *In re Samour*, 571 F.2d at 562, 197 USPQ at 4; *see also Reading & Bates Construction Co. v.*

Baker Energy Resources Corp., 748 F.2d 64, 651-52, 223 USPQ 1168, 1173 (Fed. Cir. 1984). Such possession is effected if one of ordinary skill in the art could have combined the publication's description of the invention with his own knowledge to make the claimed invention. See *In re LeGrice*, 301 F.2d at 939, 133 USPQ at 373-74. Accordingly, even if the claimed invention is disclosed in a printed publication, that disclosure will not suffice as prior art if it was not enabling. *In re Borst*, 345 F.2d 851, 855, 45 USPQ 554, 557 (CCPA 1965), *cert. denied*, 382 U.S. 973, 148 USPQ 771 (1966).

Id. at 533, 226 USPQ at 621 (footnote deleted).

The court specifically followed the rule of Samour to determine that the claimed subject matter was in the public's possession by looking to additional references.

The additional references utilized in this case (viz., Lincoln and Wagner) are not relief [sic] upon for suggestion or motivation to combine teachings to meet the claim limitations, as in rejections under 35 U.S.C. § 103. *In re Samour*, 571 F.2d at 563, 197 USPQ at 4-5. Such reliance would be pointless because Nomura [the primary reference] discloses every element claimed. The purpose of citing Lincoln and Wagner is, instead, to show that the claimed subject matter, as disclose [sic] in Nomura, was in the public's possession.

Id.

Both In re Samour and In re Donohue involved claims to a class of chemical compounds that was fully disclosed in a prior art reference. The secondary references in both cases were not employed to supplement any need for additional disclosure not present in the primary reference so that one skilled in the art could comprehend the scope of that referenced disclosure but only to show that the claimed chemical compounds were within the public domain. In other words, on their faces, the primary references were "enabling" because they taught every material element of the claimed subject matter. The only reliance on a secondary reference was to show that the claimed subject matter was in the public possession one year prior to the filing date of the patent applications for the chemical compounds.

This line of case law was recently followed in Bristol-Myers Squibb Co. v. Ben Venue Laboratories, Inc. et al., 246 F.3d 1368, 58 USPQ2d 1508 (Fed. Cir. 2001). Ben

Venue and its codefendants alleged invalidity of a patent obtained by Bristol-Myers for a method of treating a cancer patient having steps of (i) premedicating the patient with a first drug and (ii) administering a second drug. The defendants argued that Bristol's claim was anticipated by a prior art reference which not only described treating patients with the second drug (i.e., the second step) but also suggested that "[f]urther studies are needed to see if *pretreatment regimens* [i.e., the first step], ... will permit the safe administration of this compound". *Id.* at 1372, 58 USPQ2d at 1515-1516. At issue was whether the prior art reference which mentioned a pretreatment regimen was "enabling to one of skill in the art" one year before the filing date of Bristol's patent application based on additional references and teachings to pretreat cancer patients. Following both Samour and Donohue, the court noted that enablement of an anticipatory reference may be demonstrated by another reference and restated the requirement of "a showing of each limitation of a claim in a single reference" for anticipation. *Id.* The court concluded that it was proper to look at other references to establish that the pretreatment regimen mentioned in the primary reference was in the public domain one year prior to Bristol's filing date. As was true for the claims at issue in Donohue and Samour, every material element of the claim in Bristol-Myers was present in the primary reference, namely, (i) premedicating a patient with a first drug and (ii) administering to the patient a second drug. The primary reference contained both of those limitations and additional references were only relied upon to show that premedicating a patient was within the public domain one year prior to the filing date of the patent application. No subject matter from the secondary reference was used to supplement the disclosure of the primary reference.

Hence, there are two requirements for using an additional reference to "enable" a primary reference in forming an anticipation rejection.

1. The primary reference must contain "every material element of the claimed invention"; and
2. The additional reference is relied upon only to demonstrate that the claimed subject matter was in the possession of the public one year prior to the filing date of the patent application.

III. Anticipation of plant subject matter by multiple references

The cases of In re LeGrice, 301 F.2d 929, 133 USPQ 365 (CCPA 1962) and Ex parte Thomson, 24 USPQ2d 1618 (Bd. Pat. App. & Inter. 1992) are consistent with Samour, Donohue, and Bristol-Myers and do not support a proposition that a non-enabling publication about a plant may be made enabling by public use or sale of the plant itself.

A. In re LeGrice

At issue in LeGrice was whether a published catalog listing a variety of rose plants along with some botanical data and a color picture thereof barred patenting of that rose variety as a plant patent. It was established on the record that the color picture in the prior art catalog publication established identity at least in appearance between the rose plant illustrated in the catalog and the claimed variety.

1. A plant cannot be produced from a disclosure thereof in a printed publication

In determining whether the catalog was an "enabling" disclosure, i.e., sufficient to give the public possession of the rose plant, the court pointed out the following unique characteristics of plants as compared to manufactured articles. Plants protected by United States plant patents are asexually reproduced wherein the plant is propagated by divisions or cuttings to form clones, each of which is identical to its parent plant and to all other cuttings or clones taken from the parent plant. Id. at 937, 133 USPQ at 372. Even when the parentage of the claimed variety is set forth in a publication, no two seeds produced

by cross-pollinating the parent plants can be expected to produce identical plants. Id. at 938, 133 USPQ at 373. The principles of heredity and plant genetics introduce innumerable possible combinations of genetic material which may result in equally innumerable distinct plants. Id.

The impossibility of producing a particular variety from a description thereof in a printed publication was a critical factor for the court in LeGrice. The court emphasized that the description of the invention in the printed publication must be an "enabling" description and that the proper test of an enabling description in a publication as a bar to a patent under § 102(b) is "whether one skilled in the art to which the invention pertains could take the description of the invention in the printed publication and combine it with his own knowledge of the particular art and from this combination be put in possession of the invention on which a patent is sought". Id. at 939, 133 USPQ at 374.

To put an inventor in possession of an invention based on a printed publication, the description therein must be:

So precise and particular that any person skilled in the art to which the invention belongs can construct and operate it without experiments and without further exercise of inventive skill.

Id. at 933, 133 USPQ at 369.

In 1962, the LeGrice court recognized that the knowledge of plant genetics made it impossible to reproduce a particular plant having specific botanical characteristics based solely on a description of the plant, even when the parent plants were known. Despite the many advances in biotechnology over nearly 40 years, that limitation on reproducing plants holds true.

Accompanying this response as Attachment A is a Declaration by Dr. Richard Craig, an expert in the field of horticulture. The details of Dr. Craig's Declaration are not

repeated herein, but should be appreciated for the explanation of the differences between asexually reproduced plants and sexually reproduced plants and the impossibility of generating a desired plant from a description thereof in a printed publication. As detailed in Dr. Craig's Declaration, there is no possibility of recreating a particular variety via experimentation because of the endless possibilities when the genes of parent plants are combined to produce daughter plants.

Thus, when one makes a cross-fertilization of heterozygous parents, one cannot predict the specific combination of traits in the progeny. When a large number of genes have different allelic combinations in the parents, the possible genotypic combinations in the hybrid progeny approach infinity.

Craig Declaration at page 3.

Dr. Craig states that a description of a plant (such as the description in a PBR) cannot be used to recreate the plant.

Starting only from a photograph or a written description of a particular cultivar, a plant breeder cannot reproduce the cultivar. No person can independently create through fertilization and hybridization the exact genetic replica of another plant.

Craig Declaration at page 4.

Thus, it is still true today that a description of a particular variety cannot enable one skilled in the art to recreate that variety.

In the decision below LeGrice, the Board of Appeals had reasoned that since a description of a plant in a plant patent application is deemed sufficiently enabling to grant a patent, then a publication on a plant should be considered equally enabling to bar patenting. The LeGrice court pointed to two errors in that reasoning. First, § 162 specifically permits varying degrees of description in a plant patent while § 102(b) makes no such allowance regarding the sufficiency of the description in an anticipatory printed publication. Therefore, a plant patent application may be less specific than an anticipatory publication. Second, §

163 does not grant a right to exclude others from "making" a claimed plant but only to exclude others from asexually reproducing or selling the claimed plant. The statute reflects the reality that "there is no possibility of producing the plant *from a disclosure* as 35 U.S.C. § 112 contemplates" because one cannot make a plant, only asexually reproduce or sell it. Id. at 944, 133 USPQ at 378.

2. The description of a plant and identification of a source to obtain the plant outside the United States is not prior art under 35 U.S.C. § 102(b) in a plant patent application.

The LeGrice opinion does not directly address enablement of the printed publications on the claimed rose plant based on any other source, such as public availability of the plant.

However, implicit in LeGrice is that a publication describing a plant and a source to obtain that plant is not prior art to a plant patent application on that plant. The publications at issue in LeGrice included a national British publication on roses which disclosed the source of the rose plant at issue including the breeder's name and location and a catalog showing the rose plant. Although not specifically stated in LeGrice, the catalog indicated commercial availability of the rose plant. One skilled in the art, a plant breeder, could have determined the name and source of the rose plant and tracked down the rose plant. Despite availability of the rose plant (evidenced by the catalog), the court held the two publications to be incapable of placing the rose plant in the public domain. As should be true in this present application, the public use or sale of the rose plant outside the United States (such as via the catalog) were not of concern to the court in its analysis of statutory bars under 35 U.S.C. § 102(b).

The LeGrice opinion quotes from the appellant's brief therein stating at 935, 133 USPQ at 370-371 that "[p]rior public use and sale of a plant are avenues by which a plant enters the public domain." That quoted language omits a critical aspect of the prior use and

sale statutory bar of 35 U.S.C. § 102(b), namely, that those prior activities must occur in the United States to constitute statutory bar.

LeGrice only holds that a printed publication cannot be considered to be an enabling disclosure of a claimed plant under Title 35 based on knowledge possessed by plant breeders. While the LeGrice court declined to characterize all plant publications as being irrelevant as printed publications under § 102(b) (allowing for developments in biotechnology), it noted that “the facts of each case [must] be carefully considered to determine whether the description of the printed publication in question *does in fact* place the invention in the possession of the public”. Id. at 939, 133 USPQ at 374 (emphasis in original).

3. The facts of LeGrice, non-enablement of a plant patent claim by a description of the plant, parallel the present case.

In both LeGrice and here, the material elements of a plant patent claim are not set forth in the printed publication and there is no need to consult additional references, nor is it appropriate to do so.

A Plant Breeder's Rights publication which refers only to a species of a plant and a plant name cannot be considered to be so “precise and particular” that a skilled artisan could “construct and operate it without experiments and without further exercise of inventive skill.” The ability to purchase a geranium named Tikvio one year prior to the application filing date is not equivalent to the ability to “construct and operate” a new geranium variety named ‘Tikvio’ based on the PBR publication. One skilled in the art may have learned of a geranium named ‘Tikvio’ – outside the United States. While public prior use and sale are avenues by which a plant enters the public domain, that prior use or sale must have occurred in the United States to rise to the level of a statutory bar. See 35 U.S.C. § 102(b).

A Plant Breeder's Rights publication could lead one skilled in the art to find a plant to purchase outside the United States which bears a name mentioned in the Plant Breeder's Rights application. That scenario is not one which renders the Plant Breeder's Rights publication enabling. It is simply a trail which leads to a sale of a plant outside the United States. There is no support in LeGrice or elsewhere for the proposition that sale of a named plant outside the United States automatically enables the publication of a Plant Breeder's Rights document listing a plant with the same name.

B. Ex parte Thomson

Naturally, a different result was found in Ex parte Thomson when the claims in a **utility** application for a cotton cultivar were rejected over a prior art reference which **identically** disclosed the specification of the application for the cotton cultivar. The rejected claims were as follows:

1. A cotton cultivar having the designation Siokra (ATTC 40405).
2. Seeds of the cotton cultivar according to Claim 1.

Thomson, 24 USPQ2d 1618 (Bd. Pat. App. & Inter. 1992).

The Board of Patent Appeals and Interferences found that several prior art references disclosed the exact same cotton cultivar and seeds of that cultivar. Importantly, the Board found that "for enablement purposes, the descriptive words of the specification herein **do not differ substantially from** the disclosures of the cited publications". Id. at 1621 (emphasis added). Moreover, the specification of the utility application was enabled by the availability of the claimed seeds deposited in the American Type Culture Collection (ATTC). The cited publications were also enabled by the public availability of the same cotton seeds. Id. As such, the public accessibility of the claimed seeds would have enabled the skilled artisan to make and use the claimed cotton cultivar and its seeds. Id. The Board

upheld the rejection of the claims under 35 U.S.C. § 102(b) based on (1) prior art references that **identically** disclosed the claimed cultivar and (2) the opportunity for a skilled cotton grower to read the prior art references, purchase the commercially available seeds, and employ conventional techniques to obtain the claimed invention, namely, the plants and its seeds.

The Board distinguished LeGrice for three reasons.

First, actually following LeGrice, it recognized that each case is decided upon its own facts in determining whether the description in a printed publication is "adequate to put the public in possession of the invention and bar patenting of a plant" under § 102(b). Id. at 1620. The Board believed that sufficient advancements in plant eugenics warranted not following LeGrice's rule on non-enablement of publications and expressed no doubt that the skilled artisan would be able to grow the claimed cultivar. As detailed in Dr. Craig's Declaration, the Board was clearly mistaken. The "someday" of securing a plant invention by a description in a printed publication has not yet arrived. Regardless of the Board's erroneous comments on genetic technology, **it remains axiomatic that each case must be decided on its own facts.** Id.

Second, the Board found it significant that for enablement purposes **the descriptive words of the specification did not differ substantially from the disclosures** of the cited publications. Id. In other words, all the material elements of the claim were disclosed in the primary reference. The specification was enabled by the deposit of the claimed seeds and the cited publications were also enabled by the deposit of the same seeds. The court noted that LeGrice did not consider the public availability of the rose plant at issue therein, and that the LeGrice holding was based on the specific printed publications. Public availability of the plant was one factor in the Thomson decision because the claim itself was enabled by public availability of the plant. However, a "significant" aspect of the 102(b)

rejection was that the descriptive words of the prior art references did "not differ substantially" from the disclosures of the specification. Id.

Finally, the Board pointed out that whereas LeGrice was directed to patentability of plant patents, the patent at issue in Thomson was a utility patent which is afforded a broader scope of protection. Id. at note 1. Hence, the standard for anticipation by a printed publication should be more broadly applied to the claims in a utility application than to a claim in a plant patent application. Id.

The Office Action in the present case incorrectly asserts that the same question was asked in Thomson and LeGrice of "what is required to enable" a printed publication describing a plant. The questions in those two cases must be different because Thomson involved a utility patent claim and LeGrice involved a plant patent claim -- and those are two different forms of statutory subject matter having different standards for enablement and infringement as discussed above.

It should be understood that the Thomson decision is consistent with Donohue and Samour in meeting the requirements for using additional references in a § 102(b) rejection.

First, every material element of the Thomson claim was set forth in the primary reference. ("We find it significant for enablement purposes the descriptive words of the specification do not differ substantially from the disclosure of the cited publications"). Thomson, 24 USPQ2d at 1621.

Second, the additional "reference" (the publicly available seeds) was cited solely to show that the plant described fully in the primary reference was in the public domain. As was true for Samour and Donohue, the Thomson rejection did not combine teachings of two references. The added reference only demonstrated that the plant material **fully** described in the primary reference was in the public domain.

IV. Combining a PBR application with public availability of a plant under 35 U.S.C. § 102(b) is improper in a plant patent application.

Turning to the present application, the Office Action has also already acknowledged that the cited PBR application standing alone would not enable one skilled in the art to practice the claimed invention. Unlike the situations in Samour, Donohue, and Thomson, every material element of the claimed subject matter does **not** exist in the primary reference of the PBR application.

- A. A PBR grant and/or application does not disclose a plant having characteristics of the claimed variety nor a plant identical to the claimed variety.

To particularly point out how scant the information is in the cited PBR application, Attachment B contains the specification of the present application, rewritten to contain only the information which was present in the European Union PBR Application No. 98/1017. The type of information which is included in a PBR application is quite unspecific and does not include the specific sizes, shapes, colors, and arrangement of various components of the plants. The only specific information which is included in EU 98/1017 application is petal color and even that information does not completely align with the color designations set forth in the present application. A comparison between the disclosure in EU 98/1017 and the present specification yields few similarities.

The origin of the plant described in EU 98/1017 is plant material named "95K-37-1" with no indication of that material's source or availability. Hence, the starting materials to produce the plant of EU 98/1017 is all purple-red geraniums plants anywhere. Even if one were capable of somehow overcoming the current genetic technology barriers to reproduce a plant as described in EU 98/1017, there are numerous plants which could meet that description. The chance of actually creating the claimed variety having all the characteristics specified in the present application is essentially nil.

The claim in the present application is to "a new and distinct variety of geranium plant named 'Tikvio' as described and illustrated herein". The claim refers not only to the photograph of the plant but also to the complete description of the plant set forth in 5 pages of the description. Each of those components of the description and of the photograph constitute "the material elements of the claimed invention". Those material elements of the claimed invention are not set forth in the primary reference, the PBR application.

V. Enablement of a PBR application as a prior art reference is inconsistent with current plant patent application examination practice

The standards for compliance with 37 C.F.R. § 1.163 and 35 U.S.C. § 112, first paragraph in plant patent applications have become increasingly strict. Despite the variance in the degree of description in a plant permitted by 35 U.S.C. § 162, recent experience shows that many disclosures of plant patent applications are objected to and the claims therein are rejected under 35 U.S.C. § 112 first and second paragraphs which require as follows (emphasis added):

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to **enable** any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same, and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

The December 4, 2001 Office Action in the present application included an objection to the disclosure under the first paragraph of § 112 and a rejection of the claim under the first and second paragraphs of § 112 for asserted lack of "a full, clear, and complete

botanical description of the plant and the characteristics which define same per se and which distinguish the plant from related known cultivars and antecedents".

Historically, the United States Patent and Trademark Office has not considered the information in a PBR publication sufficient under §§ 112 and 162. More recently, even significantly more complete disclosures (such as the original specification filed herein) are not considered to be sufficiently complete (not enabling) under the statute.

To now assert that a PBR publication somehow is enabling prior art is inconsistent with the examination practice of requiring detailed botanical information in plant patent applications. The United States Patent and Trademark Office cannot have it both ways of asserting a PBR publication as enabling prior art (alone or in combination with sale or use outside the United States) **and** rejecting reasonably detailed plant patent applications for lack of enablement. Moreover, this new interpretation of PBR publications as being enabling prior art is contrary to decades of plant patent examination policy and practice.

Future plant patent applicants can comply with the stricter interpretation of § 162 when submitting their applications, but they should not be faced with a prior art rejection based on a non-enabling PBR application.

VI. The Realities of Plant Breeding

Time delays in breeding new plant varieties exist whether the breeding occurs in the United States or elsewhere. In the case of plants bred outside the United States additional testing and trialing in the United States must take place to make sure the new plants are adaptable to the climatic conditions in this country. This often takes several years before the plants are deemed acceptable and actually enter the United States market. Only a few varieties trialed and tested in the United States actually enter the United States market and it is not economically feasible to file immediately on every variety to be tested. The new

patent policy requires that such immediate filing takes place thereby placing the foreign plant patent breeder at a distinct disadvantage.

It is well recognized that plants bred outside the United States must be tested and trialed in the United States to make sure the new plants are adaptable to the climatic conditions in this country. This often takes several years before the plants are deemed acceptable and actually enter the United States market. These time delays in breeding new plant varieties exist whether the breeding occurs in the United States or elsewhere.

A plant bred in Germany can be introduced much more quickly in Germany because it was bred and grown there from the outset. Therefore, there is often a sale in Europe more than one year before the United States plant patent application is filed. A sale outside the United States does not trigger a statutory patent bar and does not diminish the need to afford protection to foreign plant breeders seeking to introduce their horticultural developments into the United States.

This concept has been understood since at least the time that the Townsend-Purnell Plant Patent Act became law in 1930. The Plant Patent Act of 1930 was enacted "to afford agriculture, so far as practicable, the same opportunity to participate in the benefits of the patent system as has been given industry." H.R. 1129, 71st Congress, 2d Session (1930).

Today the plant breeder has no adequate financial incentive to enter upon his work. A new variety once it has left the hands of the breeder may be reproduced in unlimited quantity by all. The originator's only hope of financial reimbursement is through high prices for the comparatively few reproductions that he may dispose of during the first two or three years. After that time, depending on the speed with which the plant may be asexually reproduced, the breeder loses all control of his discovery. Under the bill the originator will have control of his discovery during a period of 17 years, the same term as under industrial patents. If the new variety is successful, the breeder or discoverer can expect an adequate financial reward.

Id.

Under the current examination practice, rejection of plant patent applications by foreign breeders who have not yet introduced their discoveries into the United States cuts off their opportunities of reaping adequate financial reward in the United States. Plant varieties which are not ready for introduction into the United States, but were sufficiently developed in Europe to be introduced there, are not given the benefit of the patent system as was intended by the Plant Patent Act of 1930. Without that benefit, foreign plant breeders "only hope of financial reimbursement is through high prices for the comparatively few reproductions that [they] may dispose of during the first two or three years" following introduction of varieties into the United States. Id. The Plant Patent Act of 1930 was adopted so that "plant patents will mean better agricultural products that will give the public more actual value for its dollar". Due to the current rejection policy and to the detriment of the public, advances in agriculture made outside the United States may not reach this country.

This policy by the United States Patent and Trademark Office represents a radical departure from any previous policy in the area of plant patent law. It has been estimated that, under such a radical policy, 70% of the extant plant patents issued to foreign applicants in the United States are invalid.

Relying on use and sales outside the United States to turn a non-enabling plant disclosure into an enabling one was never contemplated by drafters of the Plant Patent Act, is not recognized by statute, is contrary to Patent Office policy from at least as early as the LeGrice decision (1962) and makes absolutely no sense to anyone skilled in the art. This new radical policy needs to be promptly reversed so foreign plant breeders again have opportunities in this country to file United States plant patent applications.

VII. Conclusions

Withdrawal of the rejection of claim 1 is respectfully requested for the reasons detailed above and summarized as follows:

- A. The PBR application does not disclose every material element of claim 1; it is not an "enabling" reference.
- B. The PBR application cannot be read to describe a particular plant variety.
- C. The PBR application's scant disclosure may not be supplemented by an additional reference to supplement what the PBR fails to disclose; an additional reference can only be used to show that the plant disclosed in the PBR application is in the public domain.


The current interpretation of statutory law by the United States Patent and Trademark Office is opposite to the longstanding relationship between Plant Breeder's Rights in foreign countries and United States plant patents and is counter to Federal Circuit case law dating back nearly 40 years.

Applicant respectfully requests that this new position by the Plant Patent Group be rescinded and that claim 1 be allowed.

Respectfully submitted,

WEBB ZIESENHEIM LOGSDON
ORKIN & HANSON, P.C.

By


Julie W. Meder
Registration No. 36,216
Attorney for Applicant
436 Seventh Avenue
700 Koppers Building
Pittsburgh, Pennsylvania 15219-1818
Telephone: (412) 471-8815
Facsimile: (412) 471-4094



COPY OF PAPERS
ORIGINALLY FILED

ATTACHMENT B

PBR Application EU 98/1017 rewritten in form of a U.S. Plant Patent application

VARIETY OF GERANIUM NAMED 'TIKVIO'

Classification: Botanical: *Pelargonium x hortorum*.

Origin: Seedling from 95K-37-1.

Flower type: Single

Comparison to Pentik, PEL 1189

	Pentik	Tikvio
Petal size	Small	Large
Petal color	Orange-red	Purple-red
Leaf zone	Present	Heart-shaped

Lower petal:

Color of middle of upper side: Purple red (57A)

Leaf blade:

Main color of upper side: Medium green

Conspicuousness of zone on upper side: Very strong



EUROPÄISCHE UNION

Gemeinschaftliches Sortenamt

TQ-D-028

T/KV10

TECHNISCHER FRAGEBOGEN

(Ist in Verbindung mit dem Antrag auf gemeinschaftlichen Sortenschutz auszufüllen)

Nur für den Amtsgebrauch:

ANTRAGSTAG:

AKTENZEICHEN:

1. Botanisches Taxon: Lateinischer Name der Gattung, Art oder Unterart zu welcher die Sorte gehört und landesübliche Bezeichnung:

028 Pelargonium zonale hort. non (L.) L'Hérit. ex Ait., p. peltatum hort.
ZONAL PELARGONIUM, Ivy-leaved Pelargonium (revision)
PELARGONIUM ZONAL, Géraniumlierre P. (révision)
ZONALPELARGONIE, Efeupelargonie (Revision)

2. a) Antragsteller: Name(n) und Anschrift(en) und gegebenenfalls Name und Anschrift des Verfahrensvertreters:

ELSNER PAC JUNGPFANZEN
KIPSDORFER STR. 146
D-01279 DRESDEN

- b) Ursprungszüchter wenn nicht der Antragsteller: Name(n) und Anschrift(en)

3. a) Gegebenenfalls Vorschlag für eine Sortenbezeichnung:

TIKVIO

- b) Vorläufige Bezeichnung (Anmeldebezeichnung):

TIKVIO, P-6138

4. Information über:

- 4.1 Geographischen Ursprung der Sorte:

DEUTSCHLAND, DRESDEN

- 4.2 Züchtung, Erhaltung und Vermehrung der Sorte

Hierzu ist der beigelegte UPOV-Vordruck unter Punkt 4 auszufüllen

s. ANLAGE, PUNKT 4.1.

- 4.2.1 Sind die Angaben bezüglich der Komponenten von Hybridsorten einschließlich ihres Anbaus vertraulich zu behandeln?

Ja

X Nein

Wenn ja, sind diese Angaben auf beigelegtem Vordruck zu machen

Wenn nein, sind nachstehend Angaben über die Komponenten von Hybridsorten einschließlich ihres Anbaus zu machen:

Zuchtschema (weibliche Komponente zuerst)

Kombinationskreuzung mit Pentik und rot blühenden
Zuchtstämmen

5. Information zu gentechnische veränderten Sorten

Stellt die Sorte einen genetisch veränderten Organismus im Sinne von Artikel 2 Absatz 2 der Richtlinie 90/220/EWG des Rates vom 23.04.1990 dar.

Ja

XNein

6. Anzugebende Merkmale der Sorte

Hierzu ist der beigefügte UPOV-Vordruck Punkt 5 auszufüllen.
(die in Klammern angegebene Zahl verweist auf das entsprechende Merkmal in den Prüfungsrichtlinien, die Ausprägungsstufe die der Sorte am nächsten kommt, bitte ankreuzen).

Zahl	Merkmal	Beispielsorten	Note
------	---------	----------------	------

S. ANLAGE, PUNKT 5

7. Ähnliche Sorte(n) und Unterschiede zu diese(r)(n) Sorte(n):

Bezeichnung der ähnlichen Sorte(n)	Merkmale in welchen sich die ähnliche(n) Sorte(n) unterscheidet(n)	Ausprägungsstufen der ähnlichen Sorte(n) und der Kandidatensorte
Pentik, PEL 1189	Blütengröße	ähnl. Sorte klein Kandidatensorte groß
	Blütenfarbe	ähnl. Sorte orangerot Kandidatensorte purpurrot
	Blattzeichnung	ähnl. Sorte Zone Kandidatensorte herzförmige Zonierung

8. Zusätzliche Angaben zur Erleichterung der Unterscheidung der Sorte

8.1 Resistenzen gegenüber Schadorganismen

nicht bekannt

8.2 Besondere Bedingungen für den Anbau der Sorte

Pinzieren notwendig
boden deckende Eigenschaften

8.3 Weitere Informationen (Zeichnungen, Fotos, usw..)

Fotos sind beigefügt

Ich/wir erklären hiermit, daß nach meinem/unserem besten Wissen die in diesem Vordruck gegebenen Angaben sachlich richtig und vollständig sind.

DRESDEN 09.07.1998

Datum

Unterschrift

ELSNER PAC JUNGPFANZEN

4. Information on origin, maintenance and reproduction of the variety
Renseignements sur l'origine, le maintien et la reproduction ou la multiplication de la variété
Informationen über Ursprung, Erhaltung und Vermehrung der Sorte

4.1 Origin/Origine/Ursprung

[]

- i) Seedling/Plante de semis/Sämling (Indicate parent varieties/préciser les variétés parentes/Eiternsorten angeben)

~~[]~~

..... *Sammling aus 95K-37-1*

- ii) Mutation/Mutation/Mutation (Indicate parent variety/préciser la variété parente/Ausgangssorte angeben)

[]

- iii) Discovery/Découverte/Entdeckung (Indicate where and when/préciser le lieu et la date/wo und zu welchem Zeitpunkt)

[]

4.2 Other information/Autres renseignements/Andere Informationen

5. Characteristics of the variety to be indicated; the number in brackets refers to the corresponding characteristic in the test guidelines; please mark the state of expression which best corresponds; in the case where for one characteristic two possibilities are presented, please complete the first possibility (i) if data are available, otherwise complete the second (ii).

Caractères de la variété à indiquer; le nombre entre parenthèses renvoie au caractère correspondant dans les principes directeurs d'examen; prière de marquer d'une croix le niveau d'expression approprié; au cas où deux possibilités de réponse sont offertes, prière de remplir le i) si des résultats sont disponibles et le ii) dans le cas contraire].

Anzugebende Merkmale der Sorte (die in Klammern angegebene Zahl verweist auf das entsprechende Merkmal in den Prüfungsrichtlinien; die Ausprägungsstufe, die der der Sorte am nächsten kommt, bitte ankreuzen; wenn für ein Merkmal zwei Möglichkeiten angeboten werden, bitte die erste Möglichkeit (i) ausfüllen, wenn dafür Daten vorhanden sind, sonst die zweite (ii)).

	Characteristics Caractères Merkmale	English	français	deutsch	Example Varieties Exemples Beispielssorten	Note
5.1 (27)	Flower: type	single	simple	<u>einfach</u>	Hönnestfrühling	1 X
	Fleur: type	double	double	gefüllt	Purlapen	2 []
	Blüte: Typ					
5.2(i) (41)	<u>Lower petal: color of middle of upper side</u> Pétale inférieur: couleur de la partie centrale de la face supérieure	RHS Colour Chart (indicate reference number)	Code RHS des couleurs (indiquer le numéro de référence)	RHS-Farbkarte (Nummer angeben)		
	<u>Unteres Blütenblatt: Farbe der Mitte der Oberseite</u>			57A		
5.2(ii)	<u>Lower petal: color of middle of upper side</u> Pétale inférieur: couleur de la partie centrale de la face supérieure	white	blanche	weiss	Perlpendel	1 []
		orange pink	rose orange	orangerosa	Achspan, Schöne Helena	2 []
		orange red	rouge orangé	leuchtendrot	Osna	3 []
		bright red	rouge brillant	signalrot	Bruni	4 []
	<u>Unteres Blütenblatt: Farbe der Mitte der Oberseite</u>	purple red	rouge-pourpre	<u>purpurrot</u>	Pencher, Purlapen	5 X
		purple	pourpre	purpur	Dunkle Amethyst	6 []
		blue red	rouge-bleu	blauröt	Kleffpel	7 []
		bluish pink	rose bleuâtre	blaurosa	Bluas, Rospen	8 []
	other colors (indicate)	autres couleurs (à indiquer)	andere Farbe(n) (angeben)			9 []

Characteristics Caractères Merkmale	English	français	deutsch	Example Varieties Exemples Beispielssorten	Note
Leaf blade: main color of upper side	light green	vert clair	hellgrün	Perlpenen	3
	medium green	vert moyen	<u>mittelgrün</u>	Palais	<u>X</u> 5
Limbe: couleur de fond de la face supérieure	dark green	vert foncé	dunkelgrün	Manpen, Stadt Bern	7
Blattspreite: Grund- farbe der Oberseite					
Leaf blade: conspicuous- ness of zone on <u>upper</u> <u>side</u>	very weak	très faible	sehr gering	Achspen	1
	weak	faible	gering	Vulkan	3
	medium	moyenne	mittel	Rospen	5
Limbe: netteté de la zone sur la <u>face supé-</u> <u>rieure</u>	strong	forte	stark	Palais	7
	very strong	très forte	<u>sehr stark</u>	Erfolg	<u>X</u> 9
Blattspreite: Ausprä- gung der Zone auf der <u>Oberseite</u>					

X 9 herzförmig



LIST OF PUBLICATIONS
AND
OTHER RELEVANT ITEMS
COMPLETED DURING TENURE
AT
THE PENNSYLVANIA STATE UNIVERSITY
BY
DR. RICHARD CRAIG

PUBLICATIONS

Refereed Journals:

- Craig, R. and D. E. Walker. 1963. The flowering of *Pelargonium hortorum* Bailey seedlings as affected by cumulative solar energy. *Proc. Am. Soc. Hort. Sci.* 83:772-776.
- Snetsinger, R., C. P. Balderston and R. Craig. 1966. Resistance to the two-spotted spider mite in *Pelargonium*. *J. Econ. Entomol.* 59:76-78.
- Craig, R. 1968. Implications of the new genetics in horticultural plant breeding. *HortScience* 3:243-249.
- Henault, R. E. and R. Craig. 1970. Inheritance of plant height in geraniums. *J. Hered.* 61:75-78.
- MacDonald, A. J., J. Root, R. Snetsinger and R. Craig. 1971. Techniques of evaluating host resistance to the two-spotted mite *Tetranychus urticae*. *Melsheimer Entomol. Ser.* 8:1-4.
- Chang, Kuo-Koung, R. Snetsinger and R. Craig. 1972. Leaf characteristics of spider mite resistant and susceptible cultivars of *Pelargonium xhortorum*. *Entomol. News* 83:191-197.
- Eyo, Bassey, R. Snetsinger and R. Craig. 1974. Leaf surface preference of spider mites. *Melsheimer Entomol. Ser.* 14:1-11.
- Hewetsen, F. N., G. M. Greene II and R. Craig. 1974. Peach seedling weed control as part of a *Prunus* stem pitting control system. *HortScience.* 9:588-590.
- Milbocker, D. C. and R. Craig. 1974. Morphology of the American holly shoot and inflorescence. *J. Amer. Soc. Hort. Sci.* 99:555-563.
- Craig, R. 1976. Floricultural plant breeding and genetics in the United States. *Acta Hort.* 63:37-47.
- DeVos, N. E., R. R. Hill, Jr., R. W. Hepler, E. J. Pell and R. Craig. 1980. Inheritance of peroxyacetyl nitrate resistance in Petunia. *J. Amer. Soc. Hort. Sci.* 105:157-160.
- Newhart, Susan R., C. P. Romaine and R. Craig. 1980. A rapid method for virus-indexing the florist's geranium. *HortScience.* 15(6):811-813.
- Grossman, H. H. and R. Craig. 1982. The effect of gamma irradiation on germination and plant morphology of *Pelargonium xhortorum* L. H. Bailey. *J. Amer. Soc. Hort. Sci.* 107:72-75.

- Newhart, Susan R., C. P. Romaine and R. Craig. 1982. Enzyme-linked immunosorbent assay for the detection of tobacco ringspot virus in *Pelargonium xhortorum*. *J. Amer. Hort. Sci.* 107:930-933.
- Grossman, H. H. and R. Craig. 1983. Seed transmission of gamma radiation induced morphological changes in geranium. *J. Amer. Soc. Hort. Sci.* 108:872-874.
- Gerhold, D. L., R. Craig and R. O. Mumma. 1984. Analysis of trichome exudate from mite resistant geraniums. *J. Chem. Ecol.* 10:713-722.
- Walters, D. S., R. Minard, R. Craig and R. O. Mumma. 1988. Geranium defensive agents III. Structural determination and biosynthetic considerations of the anacardic acids on geraniums. *J. Chem. Ecol.* 14:743-751.
- Wolf, S. J. and R. Craig. 1988. Inheritance of flower and stem color in *Exacum affine*. *J. Hered.* 79:303-306.
- Glicenstein, L. J. and R. Craig. 1989. Observing transmitting tissue and other structures in the pistil by means of a fluorescent stain. *Stain Technology* 64(5):229-231.
- Rytter, Joann L., F. L. Lukezic, R. Craig, and G. W. Moorman. 1989. Biological control of geranium rust by *Bacillus subtilis*. *Phytopathology*. 79(3):367-370.
- Walters, D. S., R. Craig, and R. O. Mumma. 1989. Glandular trichome exudate is the critical factor in geranium pest resistance to foxglove aphid. *Entomologia Experimentalis et Applicata* 53:105-109.
- Walters, D. S., H. Grossman, R. Craig and R. O. Mumma. 1989. Geranium defensive agents IV. Chemical and morphological bases of resistance. *J. Chem. Ecol.* 15:357-372.
- Bridgen, M. P., R. Langhans, R. Craig. 1990. Biotechnological Breeding Techniques for *Alstroemeria*. *Herbertia* 45(1 & 2):93-96.
- Craig, R. 1990. Current status of plant breeding and propagation: Where Are We Going in the Twenty First Century - A United States Perspective. *Acta Horticulturae* 272:23-32.
- Deneke, C. F., K. Evensen, R. Craig. 1990. Regulation of petal abscission in *Pelargonium xdomesticum*. *J. Amer. Soc. Hort. Sci.* 25(8):937-940.
- Walters, D. S., R. Craig and R. O. Mumma. 1990. Effects of the mite resistance mechanism of geraniums on the mortality and behavior of the foxglove aphid (*Acyrtosiphon solani* Kaltenbach). *J. Chem. Ecol.* 16:877-886.
- Walters, D. S., R. Craig, and R. O. Mumma. 1990. Fatty acid incorporation in the biosynthesis of anacardic acids of geraniums. *Phytochemistry* 29(6):1815-1822.

- Grazzini, R. A., D. Hesk, E. Heininger, G. Hildenbrandt, C. C. Reddy, D. Cox-Foster, J. Medford, R. Craig, and R. O. Mumma. 1991. Inhibition of lipoxygenase and prostaglandin endoperoxide synthase by anacardic acids. *Biochem. Biophys. Res. Commun.* 176(2):775-780.
- Walters, D. S., J. Harmon, R. Craig and R. O. Mumma. 1991. Effect of temperature on glandular trichome exudate composition and pest resistance in geraniums. *Entomologia Experimentalis et Applicata*. 60:61-69.
- Deneke, C. F., L. J. Glicenstein, K. B. Evensen, R. Craig. 1992. Heritable differences in postproduction quality of *Pelargonium xdomesticum*. *HortScience*. 27(1):55-57.
- Hesk, D., R. Craig and R. O. Mumma. 1992. Comparison of anacardic acid biosynthetic capability between insect-resistant and -susceptible geraniums. *J. Chem. Ecology*. 18(8):1349-1364.
- Yerger, E., R. A. Grazzini, D. Hesk, D. Cox-Foster, J. Medford, R. Craig and R. O. Mumma. 1992. A rapid method for isolating glandular trichomes. *Plant Physiol.* 99:1-7
- Craig, R. 1993. Intellectual property protection of *Pelargoniums*. *HortTechnology* 3(3):284-290.
- Schultz, D. J., R. Craig, D. Cox-Foster, R. O. Mumma and J. I. Medford. 1994. RNA isolation from recalcitrant plant tissue. *Plant Molecular Biology Reporter* 12(4):193-199.
- Grazzini, R. A., D. Hesk, E. Yerger, D. Cox-Foster, J. Medford, R. Craig and R. O. Mumma. 1995. Species distribution of biochemical and morphological characters associated with small pest resistance in *Pelargonium xhortorum*. *J. Amer. Soc. Hort. Sci.* 120(2):336-342.
- Grazzini, R. A., D. Hesk, E. Yerger, D. Cox-Foster, J. Medford, R. Craig and R. O. Mumma. 1995. Distribution of biochemical and morphological characters associated with small pest resistance among cultivars of *Pelargonium xhortorum*. *J. Amer. Soc. Hort. Sci.* 120(2):343-346.
- Schultz, D. J., E. Cahoon, J. Shanklin, R. Craig, D. L. Cox-Foster, R. O. Mumma and J. I. Medford. 1996. Expression of a Δ^9 14:0-acyl carrier protein fatty acid desaturase gene is necessary for the production of Δ^5 anacardic acids found in pest-resistant geranium (*Pelargonium xhortorum*). *Proc. Natl. Acad. Sci.* 93:8771-8775.
- Harman, J., P. Paul, R. Craig, D. Cox-Foster, J. Medford, and R. O. Mumma. 1996. Development of a mite bioassay to evaluate plant resistance and its use in determining regeneration of spider mite resistance *Entomologia Experimentalis et Applicata* 81:301-305.
- Grazzini, R. A., D. S. Walters, J. Harmon, D. J. Hesk, D. Cox-Foster, J. Medford, R. Craig and R. O. Mumma. 1997. Inheritance of biochemical and morphological characters associated

with two-spotted spider mite resistance in *Pelargonium xhortorum*. . J. Amer. Soc. Hort. Sci. 122(3):373-379..

Uchneat, M. S., A. Zhigilei, and R. Craig. 1999. Differential response to foliar infection with *Botrytis cinerea* within the genus *Pelargonium*. J. Amer. Soc. Hort. Sci. 124(1):76-80.

Grazzini, R. A., P. R. Paul, T. Hage, D. Cox-Foster, J. Medford, R. Craig and R. O. Mumma. 1999. Tissue-specific fatty acid composition of glandular trichomes of mite-resistant and -susceptible *Pelargonium xhortorum*. J. Chem. Ecol. 25 (4):955-968.

Uchneat, M. S., K. Spicer, and R. Craig. 1999. Differential response to floral infection with *Botrytis cinerea* within the genus *Pelargonium*. HortScience. 34(4):718-720.

Loehrlein, M. and R. Craig. 2000. Floral ontogeny of *Pelargonium xdomesticum*. J. Amer. Soc. Hort. Sci. 125(1):36-40.

Riseman, A. L. and R. Craig. 2000. Physiological and morphological traits associated with zinc deficiency in *Exacum*. Plant and Soil. 219: 41-47.

Published Abstracts

Craig, R. and D. E. Walker. 1961. The effect of solar radiation on the growth and flowering of geranium (*Pelargonium hortorum*) seedlings. 58th Annual Meeting of the American Society for Horticultural Science. West Lafayette, IN. A.I.B.S. Bull. 11(4):51.

Craig, R. and D. E. Walker. 1963. The inheritance of several characters in the geranium (*Pelargonium hortorum*). 60th Annual Meeting of the American Society for Horticultural Science. University of Massachusetts, Amherst, MA. (In printed program)

Carlson, W. H., S. M. Cohan and R. Craig. 1966. Flower initiation in *Pelargonium xhortorum* as related to foliar mineral content. 17th International Horticultural Congress, College Park, MD. Proc. of the 17th Int. Hort. Cong. 1:217.

Cohen, S. M. and R. Craig. 1966. Chemically induced male sterility in *Pelargonium xhortorum* Bailey and *Allium cepa* L. 17th International Horticultural Congress, University of Maryland, College Park, MD. Proc. of the 17th Int. Hort. Cong. 1:211.

Craig, R. 1968. Implications of the new genetics in horticultural plant breeding. 65th Annual Meeting of the American Society for Horticultural Science. Davis, CA. (In printed program)

Cohen, S. M. and R. Craig. 1970. An investigation of factors related to male sterility expression in *Pelargonium xhortorum* Bailey. 67th Annual Meeting of the American Society for Horticultural Science. Miami, FL. HortScience. 5:344.

- Craig, R. 1974. Genetics of the geranium, *Pelargonium xhortorum*. Ornamental Plant Breeding Workshop, 71st Annual Meeting of the American Society for Horticultural Science. University of Guelph, Guelph, Ontario, Canada.
- Craig, R. 1974. Improvement of floricultural and ornamental cultivars. Symposium on the Use of Plant Introductions in the Improvement of Horticultural Cultivars. 71st Annual Meeting of the American Society for Horticultural Science. Guelph, Ontario, Canada.
- Buswell, G. E. and R. Craig. 1979. Flower color inheritance in tetraploid *Pelargonium xhortorum* Bailey. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:409.
- Hanniford, G. G. and R. Craig. 1979. Inheritance of earliness to flower in geraniums *Pelargonium xhortorum* Bailey. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:409.
- Hampson, S. H. and R. Craig. 1979. Mutation induction in African violets (*Saintpaulia*) by gamma irradiation. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:409.
- Niedz, R. P., J. Boyle and R. Craig. 1979. Mutation breeding of *Exacum affine*. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:410.
- Gorzo, D. M., R. Craig and J. W. White. 1979. Breeding *Calceolaria* for efficient pot plant production. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:410.
- Craig, R., K. Nichols and B. Gatzke. 1979. Evaluation of culture-virus indexed geraniums. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:470.
- Wallner, S. J., R. Kassalen, J. Burgoon and R. Craig. 1979. Pollination, ethylene production and shattering in geraniums. 76th Annual Meeting of the American Society for Horticultural Science. Ohio State University, Columbus, OH. **HortScience**. 14:446.
- Hanniford, G. G., R. Craig, S. Speer and M. Brooks. 1980. Methods for the improvement of *Pelargonium xdomesticum*. 77th Annual Meeting of the American Society for Horticultural Science. Colorado State University, Fort Collins, CO. **HortScience**. 15:53.
- Erb, W. A., R. P. Niedz and R. Craig. 1981. Use of colchiploids in breeding *Exacum affine* Balf. 78th Annual Meeting of the American Society for Horticultural Science. Atlanta, GA. **HortScience**. 16(3):454.

- Gorzo, D. M. and R. Craig. 1981. Breeding of *Calceolaria herbeohybrida*. 78th Annual Meeting of the American Society for Horticultural Science. Atlanta, GA. **HortScience**. 16(3):454.
- Hanniford, G. G., G. Metzler, F. Rausch and R. Craig. 1981. Prediction of time to flower of hybrid geraniums. 78th Annual Meeting of the American Society for Horticultural Science. Atlanta, GA. **HortScience**. 16(3):447.
- Hanniford, G. G. and R. Craig. 1982. Genetic studies of early flowering in *Pelargonium xhortorum*. 79th Annual Meeting of the American Society for Horticultural Science. Ames, IA. **HortScience**. 17(3):515.
- Sumanasinghe, A. and R. Craig. 1983. Inheritance of leaf shape, flower shape, flower color and stem color in *Exacum affine* Balf. 80th Annual Meeting of the American Society for Horticultural Science. McAllen, TX. **HortScience**. 18(4):610.
- Deneke, C. F., K. B. Evensen and R. Craig. 1984. Postharvest quality of *Pelargonium xdomesticum* as influenced by production environment. 81st Annual Meeting of the American Society for Horticultural Science. Vancouver, British Columbia, Canada. **HortScience**. 19(3):567.
- Craig, R. 1986. Breeding pelargoniums. Ornamental Plant Breeding Workshop. 83rd Annual Meeting of the American Society for Horticultural Science. Davis, CA.
- Craig, R. 1987. Breeding improved cultivars of regal pelargonium. Ornamental Plant Breeding Workshop. 84th Annual Meeting of the American Society for Horticultural Science. Orlando, FL.
- Grazzini, R. A., R. Craig and R. O. Mumma. 1990. Genetics and biochemistry of insect and mite resistance in geranium. **HortScience**. 25(9):177.
- Grazzini, R. A., D. S. Walters, J. Harmon, R. Craig and R. O. Mumma. 1991. Inheritance of morphological and biochemical characters associated with pest-resistance in geranium. **HortScience**. 26(6):781.
- Grazzini, R. A., D. Hesk, E. Yerger, C. C. Reddy, G. Hildenbrandt, J. Medford, D. Cox-Foster, R. Craig, R. O. Mumma. 1991. Inhibition of prostaglandin endoperoxide synthase and lipoxygenase by anacardic acids. **HortScience**. 26(6):781.
- Grazzini, R. A., E. Yerger, D. Hesk, D. Cox-Foster, J. Medford, R. Craig and R. O. Mumma. 1991. Glandular trichome-specific lipid composition of geranium. **HortScience**. 26(6):783.
- Riseman, A. L., R. Craig. 1995. Interspecific *Exacum* hybrids — novel germplasm for the production of a new floricultural crop. 18th EUCARPIA Symposium on Ornamental Plant Improvement (Section: Ornamentals). **Proceedings**. pp. 39.

- Hage, T. G., D. Cox-Foster, R. Craig, J. I. Medford and R. O. Mumma. 1995. Characterization of proteins and enzymes associated with resistance to small arthropod pests in *Pelargonium xhortorum*. 1995 Biochemistry and Molecular Biology of Plant Fatty Acids and Glycerolipids Symposium, South Lake Tahoe, CA P-204.
- Schultz, D. J., D. Cox-Foster, R. Craig, R. O. Mumma and J. I. Medford. 1995. Isolation and characterization of a unique C16:0-ACP fatty acid desaturase from *Pelargonium xhortorum*. 1995 Biochemistry and Molecular Biology of Plant Fatty Acids and Glycerolipids Symposium, South Lake Tahoe, CA O-27.
- Anon, K. M. and R. Craig. 1997. Growth and flowering of interspecific hybrids of Sri Lankan *Exacum* species (Gentianaceae): a challenge in domestication. *HortScience*. 31(4): 597.
- Uchneat, M. S. and R. Craig. 1997. Resistance of *Pelargonium* species to the fungal pathogen *Botrytis cinerea*. *HortScience*. 31(4): 565.
- Loehrlein, M. and R. Craig. 1997. Floral initiation in *Pelargonium xdomesticum* is affected by total cumulative irradiance. *HortScience*. 31(4): 570.
- Riseman, A. and R. Craig. 1997. Physiological differences between zinc-efficient and zinc-inefficient genotypes of interspecific *Exacum*. *HortScience*. 31(4): 571.
- Loehrlein, M. and R. Craig. 1998. Floral ontogeny of *Pelargonium xdomesticum*. *HortScience*. 33:536.
- Loehrlein, M. and R. Craig. 1999. Floral initiation of regal pelargoniums grown at varying daily light integrals. *HortScience*. 34(3):539.
- Anderson, L. and L. Wakefield,. 1999. Interaction of genotype and temperature on the floral initiation of *Pelargonium xdomesticum*. *HortScience*. 34(3):556. (Undergraduates advised by E. J. Holcomb R. Berhage, and Richard Craig)
- Murphy, A.M. and R. Craig. 2001.

Non-refereed journals

- Craig, R. 1958. *Hollies*. Penn State Farmer. December Issue.
- Craig, R. and D. E. Walker. 1959. *Geranium seed germination techniques*. *Geraniums Around the World*. 7(2):4-7. (Also 1959. Pa. Flower Growers Bull. 97:1-3.)
- Craig, R. and D. E. Walker. 1960. *Temperature and seedling geraniums*. Pa. Flower Growers Bull. 114:3, 6-7.

- Craig, R. 1962. **Geranium pollination techniques**. *Geraniums Around the World*. 10(2):29-30, 47.
- Craig, R. and G. W. Gorsline. 1962. A computer method of double cross prediction. *Maize Coop. Newsletter*. 36:71.
- Craig, R. 1962. **Geranium varieties**. *Pa. Flower Growers Bull.* 136:7.
- Craig, R. 1962. **Geranium research at Penn State**. *Geraniums Around the World*. 10(2):28.
- Craig, R. 1963. **Cultural hints for growing 'Nittany Lion Red'**. *Pa. Flower Growers Bull.* 153.
- Craig, R. 1964. **'Nittany Lion Red' - new seed grown geranium**. *Science for the Farmer*. 12(1):10.
- Craig, R. 1965. **Geraniums from seed, the breeding program at Penn State**. *Pa. Flower Growers Bull.* 167:1-2, 19.
- Craig, R. 1966. **The greenhouse geranium from seed**. *Gardeners Chronicle*. 159(9):197-198.
- Craig, R. 1967. **Selection for hardiness in *Ilex opaca***. *Proc. of the 42nd Meeting Holly Soc. of Am.* pp. 7-9.
- Craig, R. 1968. **Past, present and future of seedling geraniums**. *Pa. Flower Growers Bull.* 204:1-2, 7.
- Craig, R. 1972. **Midi-geraniums from seed, soon ready for gardens**. *Science in Agriculture*. 19(2):16.
- Milbocker, D. C. and R. Craig. 1974. **Flowering and fruiting determined for holly**. *Science in Agriculture*. 21(2):10.
- Craig, R. 1976. **Highlights of Penn State research in plant breeding**. *Proc. Ninth International Bedding Plant Conference*. pp. 151-160.
- Craig, R. and S. H. Hampson. 1979. **New African violets created in mutation breeding program**. *Science in Agriculture*. 26(4):12.
- Craig, R. 1980. **Spring in January**. *Horticulture Show Booklet*.
- Craig, R. 1981. **Research continues at Penn State**. *African Violet Mag.* 34(4):4.
- Hanniford, G. G. and R. Craig. 1982. **Genetics of flowering -- geraniums for the future**. *Science in Agriculture*. 29(3):5.

- Craig, R. and J. M. McDowell. 1982. Genetic studies of *Saintpaulia* A progress report. African Violet Mag. 35(4):5.
- Craig, R. 1983. Geraniums for the 80's. Florists' Review. 173 (4476):21-24. (Reprinted 1984. Geraniums Around the World. 32:8-11.)
- Craig, R. 1983. 21st century geraniums. New York Times.
- Holcomb, E. J. and R. Craig. 1983. Producing Exacum profitably. Greenhouse Grower. 1(11):18, 57.
- Craig, R. and J. M. McDowell. 1983. Progress Report - Penn State research. African Violet Mag. 36(4):12.
- Holcomb, E. J. and R. Craig. 1983. Exacum - A potted plant for the future. Pa. Flower Growers Bull. 350:5-6.
- Craig, R. and J. M. McDowell. 1984. Genetic studies of an interspecific hybrid in *Saintpaulia*. African Violet Mag. 37(4):1984.
- Craig, R. and R. Haldeman. 1985. *Saintpaulia* research at Penn State. African Violet Mag.
- Craig, R. 1987. Annual Flowers. The Green Scene. July/August, 1987
- Craig, R. 1988. The impact of biotechnology. Greenhouse Grower. Vol. 6(1) 26-32.
- Craig, R. 1990. Breeding: What's impossible today might be commonplace tomorrow. Greenhouse Manager. Vol. 9 No. 8 p. 69-71.
- Craig, R. 1991. Viewpoint: Doing the right thing. Society of American Florists Invited Editorial.
- Craig, R., R. A. Grazzini, R. O. Mumma. 1992. Genetics and biochemistry of insect and mite resistance in geranium. Plant Genetics Newsletter. Vol. 8 No. 3 p. 30-33.
- Craig, R. 1995. Realities and Myths: Zonals versus Hybrids. Spectrum-Oglevee Ltd. (February Issue).
- Craig, R. 1999. Once upon a time in the development of new geraniums. Ohio Florists' Association Bulletin (January Issue, number 831).

Chapters in Books

- Craig, R. and D. E. Walker. 1961. What is in your future - Commercial geraniums from seed? In: Geraniums, A Penn State Manual. J. W. Mastalerz, ed., pp. 84-92.
- Walker, D. E. and R. Craig. 1961. Breeding, the future of geraniums? In: Geraniums, A Penn State Manual. J. W. Mastalerz, ed., pp. 93-99.
- Craig, R. 1966. Plant breeding and the flower seed industry. In: Bedding Plants, A Penn State Manual. J. W. Mastalerz, ed., pp. 102-117.
- Craig, R. 1969. A philosophy of rose breeding. In: Roses, A Penn State Manual. J. W. Mastalerz and R. W. Langhans, eds., pp. 250-260.
- Craig, R. 1971. Cytology, genetics and breeding of the geranium. In: Geraniums, A Penn State Manual, Second Edition. J. W. Mastalerz, ed., pp. 315-346.
- Craig, R. 1976. The flower seed industry. In: Bedding Plants, 2nd Edition. J. W. Mastalerz, ed. pp. 25-46.
- Craig, R. 1982. Chromosomes, genes and cultivar improvement. In: Geraniums III. J. W. Mastalerz and E. J. Holcomb, eds., pp. 380-410.
- Craig, R. and L. Laughner. 1985. Breeding new cultivars of bedding plants. In: Bedding Plants, Third Edition. J. W. Mastalerz and E. J. Holcomb, eds. pp. 526-539.
- Craig, R., R. O. Mumma, D. L. Gerhold, B. C. Winner and R. Snetsinger. 1986. Genetic control of a biochemical mechanism for mite resistance in geraniums. In: Natural Resistance of Plants to Pests, Roles of Allelochemicals. M. B. Green and P. A. Hedin, eds., American Chemical Society Symposium Series 296:168-176.
- Craig, R. and R. C. Craig. 1988. Zonal geranium cultivars - past, present and future. In: Tips on Growing Zonal Geraniums. H. Tayama, ed., Ohio Cooperative Extension Service Bulletin FP-765. pp. 60-62.
- Hesk, D., R. Craig, L. Collins and R. O. Mumma. 1990. Arthropod resistant- and susceptible-geraniums: Comparison of chemistry. In: Naturally Occurring Pest Bioregulators. P. A. Hedin, ed., Amer. Chem. Soc. Sym. Series 449:224-250.
- Walters, D. S., R. Craig and R. O. Mumma. 1990. Heritable trichome exudate differences of resistant and susceptible geranium. In: Pesticides and Alternatives. J. Casida, ed., Colymbari, Crete, Elsevier Science Publishers, B.V., Amsterdam. pp. 317-327.
- Craig, R. 1992. Intellectual property protection. In: Geraniums IV: A Penn State Manual. J.W. White, ed. The Ball Publishing Co., Geneva IL pp. 389-404.

- Craig, R. 1992. Breeding geraniums for 2000 and beyond (Cytology, Genetics, Breeding & Biotechnology of *Pelargoniums*). In: Geraniums IV: A Penn State Manual. J.W. White, ed. Ball Publishing Co., Geneva IL pp. 373-388.
- J. Sheely and R. Craig. 1992. Growing from vegetative propagules. In: Geraniums IV: A Penn State Manual. J.W. White, ed. Ball Publishing Co., Geneva IL pp. 103-112.
- Mumma, R. O., R. Craig, D. Cox-Foster, J. Medford, R. Grazzini, E. Yerger, and D. Hesk. 1992. Chemistry, morphology and genetics of small pest resistance in geraniums. In: Actas: I Simposio Internacional Quimica de Productos Naturales y sus Aplicaciones. J. A. Garbarino and P. Fiedler, eds. Division Quimica de Productos Naturales, Sociedad Chilena de Quimica. pp. 45-59.
- Craig, R. 1993. Reproduction in *Pelargoniums*: Significant advances in physiology, genetics and technology. In: The Proceedings of the Third International Geranium Conference. R. Craig, ed., The George J. Ball Publishing Company, Batavia, Illinois, USA. pp. 65-70.
- Craig, R. 1993. Extraterrestrial *Pelargoniums*: A view of the 21st century. In: The Proceedings of the Third International Geranium Conference. R. Craig, ed., The George J. Ball Publishing Company, Batavia, Illinois, USA. pp. 345-350.
- Mumma, R. O., R. Craig, D. Cox-Foster, J. Medford, H. H. Grossman, R. Grazzini, D. Hesk, D. S. Walters, and E. Yerger. 1993. Biochemistry and genetics of small arthropod resistance in *Pelargonium*. In: The Proceedings of the Third International Geranium Conference. R. Craig, ed., The George J. Ball Publishing Company, Batavia, Illinois, USA. pp. 172-184.
- Craig, R. 1993. Genetics and breeding: challenges and economic benefits of genetic improvements in ornamentals. In: The Proceedings of the New York Governor's Conference on Agricultural Science and Technology. Richard T. McGuire, Chairman. pp. 257-263.
- Craig, R. 1994. Breeding new cultivars. In: Bedding Plants, IV. E. J. Holcomb, ed., The George J. Ball Publishing Company, Batavia, Illinois, USA. pp. 407-424.
- Craig, R. 1999. A breeding wonder. In: History of U.S. Floriculture – Commemorative Edition of Greenhouse Grower Magazine. Meister Publishing Company, Willoughby, Ohio. pp. 14-15.
- Craig, R. 1999. The geranium story. In: History of U.S. Floriculture – Commemorative Edition of Greenhouse Grower Magazine. Meister Publishing Company, Willoughby, Ohio. p. 23.
- Schultz, D. L., J.I. Medford, D. Cox-Foster, R. Grazzini, R. Craig and R. O. Mumma. 2000. Anacardic acids in trichomes of *Pelargonium*: biosynthesis, molecular biology and ecological effects. In: Trichomes, Advances in Botanical Research. Eds: David Hallahan and John Gray. Academic Press, Harcourt Publ. pp. 175-192.

Mimeographed Articles

These are distributed to flower growers and plant breeders, state and federal agencies, university teachers, researchers, extension personnel, students and amateur horticulturists.

Craig, R. Genetics, breeding and related references on *Tagetes* (Marigolds). (2 pages) 1970.

Zagorski, J. S. and R. Craig. Bibliography of *Saintpaulia*. (14 pages) 1975.

Zagorski, J. S. and R. Craig. Bibliography of the genetics, cytology and breeding of *Pelargonium*. (10 pages) 1975.

Zagorski, J. S. and R. Craig. Bibliography on the effects of ethyl methane sulfonate on plants, 1928 - 1974. (15 pages) 1975.

Craig, R. Geranium pollination techniques. (3 pages) Adapted from an article in Geraniums Around the World 10(2):29-30, 47. 1962. Used for plant breeding classes and for television requests in Philadelphia.

Craig, R. Production of geraniums in the greenhouse from seed. (5 pages) Adapted from a presentation to the Cook County Bedding Plant School, LaGrange, IL. 1965.

Craig, R. The future of geraniums. (4 pages) Presented at the Pennsylvania Flower Growers Conference, University Park, PA. 1965.

Craig, R. Seedling geranium trial - 1967. (9 pages) 1968.

Craig, R. Geraniums - 1978. (6 pages) 1978.

Craig, R. 1978 - Hybrid geraniums - greenhouse evaluation. 1979.

Craig, R. 1979 - Geranium trials. (3 pages) 1979.

Craig, R. Summary of outdoor performance of hybrid and culture-virus indexed geraniums in 1979. (4 pages) 1980.

Craig, R. Hybrid geranium evaluations - a summary for 1978, 1979 and 1980. (9 pages) 1980.

PATENTS

Plant Patents: New and distinct cultivars of Pelargonium xhortorum, geranium; except where noted the cultivars were licensed for commercial propagation; none are currently being marketed. Former students are co-inventors on many of these cultivars.

Ben Franklin	PP6218	Juliet (Risque)	PP6654
Paris	PP6219	Misty	PP7350
Cassandra	PP6220	PSU 821**	PP7351
Helen	PP6247	Centennial**	PP7576
Calypso	PP6378	PSU 208**	PP7627
Siren	PP6379	Jubilee	PP8089

**Not licensed

Plant Patents: New and distinct cultivars of Pelargonium xdomesticum, regal Pelargonium. All were licensed for commercial propagation. Former students are co-inventors on many of these cultivars.

Crystal	PP7343	Debutante*	PP10803
Allure	PP7467	Dandy*	PP11697
Majestic	PP7387	Fascination*	Filed 6/99
Flair	PP7620	Symphony*	PP11927
Fantasy	PP7538	Tiara*	Filed 6/99
Splendor	PP7656	Camelot*	Filed 6/00

* Currently commercially available

Process Patents:

Precision Flowering of Regal Pelargoniums

Co-Inventors - J. R. Oglevee (deceased) and R. Craig: United States Patent #4,897,957, February, 1990.

Δ^9 14:0-ACP Fatty Acid Desaturase and Gene Therefor

Co-Inventors: Richard Craig, June I. Medford, Ralph O. Mumma, Diana Cox-Foster, and David Schultz. United States Patent #5,856,157, January, 1999.

Graduate Theses Supervised, Types Of Degrees And Years Granted

Steven M. Cohan Master of Science, 1966
Dissertation Chemically induced male sterility in *Pelargonium xhortorum*
Bailey and *Allium cepa* L.

Robert E. Henault Master of Science, 1968.

- Dissertation Inheritance of plant height in the geranium, *Pelargonium xhortorum* Bailey
- Steven M. Cohan** Doctor of Philosophy, 1969.
Dissertation An investigation of causal factors related to the expression of male sterility in *Pelargonium xhortorum* Bailey.
- Daniel C. Milbocker** Doctor of Philosophy, 1969.
Dissertation Morphology and physiology of flowering in American holly, *Ilex opaca* Aiton
- Kathryn T. Andersen** Master of Science, 1971.
Dissertation The behavior of powdery mildew conidia (*Erysiphe cichoracearum*) on the leaves of *Zinnia elegans* and *Zinnia angustifolia*.
- Robert E. Henault** Doctor of Philosophy, 1972.
Dissertation The morphology of the somatic and pachytene chromosomes of *Pelargonium x hortorum* Bailey.
- Hazell Reed** Master of Science, 1974.
Dissertation Germination of geraniums (*Pelargonium x hortorum* Bailey) as influenced by temperature, media, soluble salts and pH.
- Blair L. Winner** Master of Science, 1975.
Dissertation Inheritance of resistance to the two-spotted spider mite, *Tetranychus urticae* Koch, in the geranium, *Pelargonium x hortorum* Bailey.
- Leon J. Glicenstein** Master of Science, 1975.
Dissertation Attempted development of a triploid *Pelargonium x hortorum* Bailey.
- N. Curtis Peterson** Master of Science, 1975.
Dissertation Peroxyacetyl nitrate resistance in Petunia (*Petunia hybrida* Vilm.).
- Virginia S. DeArmond** Master of Science, 1976.
Dissertation A virus-vector relationship in *Pelargonium x hortorum* Bailey.
- Neal E. De Vos** Master of Science, 1977.
Dissertation The inheritance of peroxyacetyl nitrate (PAN) resistance in Petunia (*Petunia hybrida* Vilm.).
- Gordon E. Buswell** Doctor of Philosophy, 1978.
Dissertation Flower color and anthocyanin inheritance of tetraploid *Pelargonium x hortorum* Bailey.

- Steven H. Hampson** Master of Science, 1978.
Dissertation Mutation induction on *Saintpaulia* by gamma irradiation.
- Susan K. Williams** Master of Science, 1978.
Dissertation Inheritance of flower color in *Pelargonium x hortorum* Bailey.
- Beverly A. Gatzke** Master of Agriculture, 1978.
Dissertation Propagation characteristics of gamma radiation-induced mutants in *Saintpaulia* species.
- Glenn G. Hanniford** Master of Science, 1980.
Dissertation The inheritance of early flowering in the geranium, *Pelargonium x hortorum* L. H. Bailey.
- David M. Gorzo** Master of Science, 1981.
Dissertation Photoperiod and breeding studies with *Calceolaria herbeohybrida*.
- Victor Amoah** Master of Science, 1981.
Dissertation Effect of gamma irradiation on reproductive characteristics of *Saintpaulia*
- Susan T. Wolf** Master of Science, 1982.
Dissertation Inheritance of flower color and stem color of *Exacum affine* Balf..
- Heidi C. Wernett** Master of Science, 1982.
Dissertation Inheritance of orange flower color in the geranium, *Pelargonium x hortorum* L. H. Bailey.
- Jean B. Cox** Master of Agriculture in Horticulture, 1982.
Paper Internship with three horticultural organizations in Pittsburgh, PA.
- V. A. D. Sumanasinghe** Master of Science, 1983.
Dissertation Inheritance of leaf shape, flower shape, flower color and stem color of *Exacum affine* Balf
- Judith M. McDowell** Master of Science, 1984.
Dissertation Inheritance of flower type and flower color in the genus *Saintpaulia*.
- Glenn G. Hanniford** Doctor of Philosophy, 1986.
Dissertation Histochemistry of floral initiation in genetically early and late flowering geraniums as related to irradiance exposure.
- Linda J. Laughner** Master of Science, 1986.

- Dissertation Breeding and evaluation of *Pelargonium* for resistance to geranium rust, *Puccinia pelargonii-zonalis* Doidge
- V. A. D. Sumanasinghe** Doctor of Philosophy, 1986.
Dissertation Electrophoretic, cytogenetic, crossability and morphological studies of *Exacum* (Gentianaceae)
- Leon J. Glicenstein** Doctor of Philosophy, 1986.
Dissertation Genetic and cytological control of seed set in tetraploid geraniums.
- C. Frederick Deneke** Doctor of Philosophy, 1986. Co-Advisor with Dr. Kathleen Brown
Dissertation Genetics and physiology of postharvest quality of regal pelargoniums
- Andrew L. Riseman** Master of Science, 1990.
Dissertation Examination of the morphology and reproductive biology of interspecific hybrids of *Exacum*
- Harriet L. Braun** Master of Science, 1992
Dissertation Response of *Pelargonium* genotypes to *Botrytis cinerea*
- Richard A. Grazzini** Doctor of Philosophy, 1993
Dissertation A biochemical, evolutionary, and genetic model of glandular trichome mediated small pest resistance in *Pelargonium xhortorum*
- Kelly M. Anon** Master of Science 1994
Dissertation Environmental studies on the growth and flowering of interspecific hybrids of *Exacum* species (Gentianaceae) endemic to Sri Lanka
- Tanos G. Hage** Doctor of Philosophy 1995
Dissertation Characterization of proteins and enzymes associated with resistance to small arthropod pests in *Pelargonium xhortorum*
- Perry Paul** Master of Science 1995, Co-Advisor with R. O. Mumma
Dissertation New insights into the chemistry of arthropod resistance in *Pelargonium xhortorum*
- David J. Schultz** Doctor of Philosophy 1996, Co-Advisor with R. O. Mumma and Dr. June I. Medford
Dissertation Molecular and biochemical evaluation of fatty acid desaturase genes that influence the production of anacardic acids
- Andrew L. Riseman** Doctor of Philosophy 1997
Dissertation Ecology, physiology and genetics of zinc nutrition in Sri Lankan *Exacum* hybrids (Gentianaceae)

Michael S. Uchneat	Doctor of Philosophy 1997
Dissertation	Foliar and floral resistance of Pelargonium to <i>Botrytis cinerea</i>
Marietta Loehrlein	Doctor of Philosophy 1997
Dissertation	Floral Ontogeny of <i>Pelargonium xdomesticum</i> and Response of Floral Initiation to Irradiance
Andrea L. Murphy	Master of Science
Dissertation	Assessment of <i>Botrytis cinerea</i> resistance in the regal Pelargonium